

## KEN BWD 733

### Bedpan Washer-disinfector for hospitals, nursing homes, and private clinics



Simple front operation

Total disinfecting system

Complies with ISO 15883

For more information consult – [www.ken.dk](http://www.ken.dk)


### Exceptional advantages for users and technicians

BWD 733 has been specially developed for hospitals, nursing homes, private clinics, etc. where there is a need for washing bedpans, urine bottles, etc. The machine is also suitable for intensive care departments where there is a versatile need for washing and disinfection of various utensils.

The focus being on quality, flexibility and user-friendly advantages.

KEN BWD 733 is a floor mounted machine providing the user with a convenient working position. The washing chamber can take 1 bedpan and 2 urine bottles, as an example.

The computer-monitored washing process and the rotating washing heads ensure a high quality and always uniform result.



## Service

All KEN machines conform to present EU Directives, and all hospital machines have been constructed in compliance with EN ISO 15883, including, for example, testing of its cleaning ability according to SIS-TR 3:2001 (formerly SPRI).

Contact your local KEN distributor to make sure you have the correct service for your machines. The right service will prolong the machine's working life.

## Contact a KEN specialist

KEN will gladly help you find the right solution. Consult [www.ken.dk](http://www.ken.dk) to find your KEN partner.

Phone.: +45 62 63 10 91

e-mail: [ken@ken.dk](mailto:ken@ken.dk)

Internet: [www.ken.dk](http://www.ken.dk)

KEN partner Australia:

Malone Hospital Services Pty Ltd.

24, Tathra Street

West Gosford 2250, NSW

Phone +61 (02) 4323 9731

E-mail: [sales@malones.com.au](mailto:sales@malones.com.au)

Internet: [www.malones.com.au](http://www.malones.com.au)

## Advantages:

- Easy-to-read display with programme info
- 5 programmes as standard. Option for individual modification
- Total disinfection of nozzles, wash heads, tubes, combitank and pump after the washing. Combats bacterial growth and maintains hygiene (patented)
- Quick-start – automatic closing of door and automatic programme start
- Door as slop sink. The bedpan and bottles are emptied automatically, but only once the door is closed
- KEN NetCom – communication via network with central or decentral computer for documentation

## Accessories

Look for accessories with the aid of the accessories selector at [www.ken.dk](http://www.ken.dk), or contact KEN for information about further possible equipment, including customized special solutions.

## Specifications

Power connection (standard)	3N~400/415V, 50Hz or multiple choices
Connected load/initial fuse	9kW/16A alternatively 6kW/10A
Water connection	Cold tap water: 1 pcs., 3/4" RG, 5-30°C, 0-3°dH
Water connection	Hot soft water: 1 pcs., 3/4" RG, 30-70°C, 0-3°dH
Water pressure	200-800 kPa
Outlet	Ø 90 mm P/S, wall or floor (to be specified)
Water consumption	
Rinsing programme	1 wash phase, 7 l
Urine bottle programme	2 wash phases, 14 l
Bedpan programme medium	3 wash phases, 21 l
Bedpan programme long	5 wash phases, 35 l
Wash basin programme	3 wash phases, 21 l
Detergent pump	Standard
Built-in detergent compartment	Room for 2 pcs. 5 l containers
Pump capacity	298 l/min., 0,75kW
Dimensions wash chamber H x W x D	460 x 500 x 350 mm
Noise level	62.5 dB(A) (sound pressure)
Sealing class	Standard: IP 21 (not scavenging-proof). Extra: IP 44



**We make a difference – both locally and globally**